Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application.

What is claimed is

1. (Previously Presented) A compound of formula (I):

$$\text{Ar-CHCH}_2 \text{NHCR}^4 \text{R}^5 (\text{CH}_2)_m - \text{O} - (\text{CH}_2)_n \\ \text{OH}$$

or a salt, solvate, or physiologically functional derivative thereof, wherein:

m is an integer of from 2 to 8; and n is an integer of from 3 to 11; with the proviso that m + n is 5 to 19;

R¹ is SR⁶, SOR⁶, or SO₂R⁶, wherein R⁶ is a C₃₋₇cycloalkyl or C₃₋₇cycloalkenyl group;

 R^2 and R^3 are independently selected from hydrogen, $C_{1:6}$ alkyl, $C_{1:6}$ alkoxy, halo, phenyl, and $C_{1:6}$ haloalkyl;

 R^4 and R^5 are independently selected from hydrogen and C_{1-4} alkyl with the proviso that the total number of carbon atoms in R^4 and R^5 is not more than 4:

Ar is a group selected from

wherein R⁸ represents hydrogen, halogen, -(CH₂) $_0$ OR¹¹, -NR¹¹C(O)R¹², -NR¹¹SO₂R¹², -SO₂NR¹¹R¹², -NR¹¹R¹², -OC(O)R¹³ or OC(O)NR¹¹R¹², and R⁷ represents hydrogen, halogen, or C_{1.4} alkyl;

or R^8 represents –NHR 14 and R^7 and –NHR 14 together form a 5- or 6- membered heterocyclic ring;

R⁹ represents hydrogen, halogen, –OR¹¹ or –NR¹¹R¹²;

 R^{10} represents hydrogen, halogen, halo C_{1-4} alkyl, $-OR^{11}$, $-NR^{11}$ R^{12} , $-OC(O)R^{13}$ or $OC(O)RR^{11}R^{12}$:

 R^{11} and R^{12} each independently represents hydrogen or $C_{1\cdot4}$ alkyl, or in the groups -NR^1R^12, -SO_2NR^11R^12 and $-OC(O)NR^11R^12$, R^{11} and R^{12} independently represent hydrogen or $C_{1\cdot4}$ alkyl or together with the nitrogen atom to which they are attached form a 5-, 6- or 7- membered nitrogen-containing ring,

 \mathbb{R}^{13} represents an aryl group which may be unsubstituted or substituted by one or more substituents selected from halogen, $\mathbb{C}_{1.4}$ alkyl, hydroxy, $\mathbb{C}_{1.4}$ alkoxy or halo $\mathbb{C}_{1.4}$ alkyl; and

- g is zero or an integer from 1 to 4.
- 2. (Currently Amended) A compound according to Claim 1, wherein R^8 is selected from the group consisting of halogen, -(CH₂)_qOR¹¹, -NR¹¹C(O)R¹², -NR¹¹SO₂R¹², -SO₂NR¹¹R¹², -NR¹¹R¹², -OC(O)R¹³, eF OC(O)NR¹¹R¹², and -NHR¹⁴ and R⁷ and -NHR¹⁴ together form a 5- or 6- membered heterocyclic ring.
- (Previously Presented) A compound according to claim 1 wherein R¹ represents –SO₂R⁶.
- (Previous Presented) A compound according to claim 1 wherein R⁶ represents a C_{3.7} cycloalkyl group.
- 5. (Previously Presented) A compound according to claim 1 wherein ${\sf R}^2$ and ${\sf R}^3$ each represent hydrogen.
- (Previously Presented) A compound according to claim 1 wherein R⁴ and R⁵ are independently selected from hydrogen and methyl.

(Previously Presented A compound according to claim 1 wherein Ar is selected from a group (a) or (b):

8. (Original) A compound of formula (la):

or a salt, solvate, or physiologically functional derivative thereof, wherein:

m is an integer of from 2 to 8; and n is an integer of from 3 to 11; with the proviso that m + n is 5 to 19;

 R^1 is SR^6 , SOR^6 , or SO_2R^6 , wherein R^6 is a C_{3-7} cycloalkyl or C_{3-7} cycloalkenyl group;

 R^2 and R^3 are independently selected from hydrogen, $C_{1.6}$ alkyl, $C_{1.6}$ alkoxy, halo, phenyl, and $C_{1.6}$ haloalkyl; and

 R^4 and R^5 are independently selected from hydrogen and C_{1-4} alkyl with the proviso that the total number of carbon atoms in R^4 and R^5 is not more than 4.

- (Previously Presented A compound according to claim 1 wherein m is 5 or 6 and n is 3 or 4.
- 10. (Previously Presented) A compound selected from the group consisting of:
- 4-{(1/R)-2-[(6-{4-[3-(Cyclopentylsulfinyl)phenyl]butoxy}hexyl)amino]-1-
- hydroxyethyl}-2-(hydroxymethyl)phenol;
- 4-{(1R)-2-[(6-{4-[3-(Cyclopentylsulfinyl)phenyl]butoxy}hexyl)amino]-1-
- hydroxyethyl}-2-(hydroxymethyl)phenol (Isomer 1);
- 4-{(1R)-2-[(6-{4-[3-(Cyclopentylsulfinyl)phenyl]butoxy}hexyl)amino]-1-
- hydroxyethyl}-2-(hydroxymethyl)phenol (Isomer 2);
- 4-{(1R)-2-[(6-{4-[3-(Cyclopentylsulfonyl)phenyl]butoxy}hexyl)amino]-1-
- hydroxyethyl}-2-(hydroxymethyl)phenol;
- 4-{(1/R)-2-[(6-{4-[4-(Cyclopentylsulfonyl)phenyl]butoxy}hexyl)amino]-1-hydroxyethyl}-2-(hydroxymethyl)phenol:
- 4-((1R)-2-[[6-((4-[3-(Cyclohexylsulfonyl)phenyl]butyl]oxy)hexyl]amino}-1-hydroxyethyl)-2-(hydroxymethyl)phenol:
- 4-((1R)-2-[[6-([4-[3-(3-Cyclopenten-1-ylsulfonyl)phenyl]butyl]oxy)hexyl]amino}-1-hydroxyethyl)-2-(hydroxymethyl)phenol:
- 4-((1R)-2-[[6-({5-[3-(Cyclopentylsulfonyl)phenyl]pentyl}oxy)hexyl]amino}-1-hydroxyethyl)-2-(hydroxymethyl)phenol:
- 4-((1R)-2-{[7-({3-[3-(Cyclopentylsulfonyl)phenyl]propyl}oxy)heptyl]amino}-1-hydroxyethyl)-2-(hydroxymethyl)phenol;
- 4-((1R)-2-[[6-([4-[3-(Cyclopentylsulfonyl)-5-methylphenyl]butyl]oxy)hexyl]amino}-1-hvdroxyethyl)-2-(hvdroxymethyl)phenol:
- N-[5-((1R)-2-{[6-{4-[3-(Cyclopentylsulfonyl)phenyl]butyl}oxy)hexyl]amino}-1-hydroxyethyl)-2-hydroxyphenyl]methanesulfonamide;

- 4-((1R)-2-[[6-({4-[3-(Cyclopentylsulfonyl)phenyl]butyl}oxy)hexyl]amino}-1-hydroxyethyl}-2-fluorophenol:
- 6-{2-[(6-{4-[3-(Cyclopentylsulfonyl)phenyl]butoxy}hexyl)amino]-1-hydroxyethyl}-2-(hydroxymethyl)pyridin-3-ol;
- 5-{(1*R*)-2-[(6-{4-[3-(Cyclopentylsulfonyl)phenyl]butoxy}hexyl)amino]-1-hydroxyethyl}-8-hydroxy-3,4-dihydroquinolin-2(1*H*)-one;
- 5-{(1R)-2-[(6-{4-[3-(Cyclopentylsulfonyl)phenyl]butoxy}hexyl)amino]-1-
- hydroxyethyl}-2-hydroxyphenylformamide;

salts thereof, solvates thereof, and physiologically functional derivatives thereof.

- 11. (Previously Presented) A compound according to Claim 10 which is:
- 4-{(1*R*)-2-[(6-{4-[3-(Cyclopentylsulfonyl)phenyl]butoxy}hexyl)amino]-1-hvdroxyethyl}-2-(hvdroxymethyl)phenol:

or a salt, solvate, or physiologically functional derivative thereof.

- (Previously Presented) A compound according to claim 1 in the form of a salt formed with an arylsulphonic acid.
- 13. (Previously Presented) A compound according to claim 8 which is selected from the group consisting of:
- $\hbox{$4$-{(1R)-2-[(6-\{4-[3-(cyclopentylsulfonyl)phenyl]butoxy}$ hexyl)amino]-1-loop and the second of the second of$
- hydroxyethyl}-2-(hydroxymethyl) phenol 4-methylbenzenesulfonate;
- 4-{(1R)-2-[(6-{4-[3-(cyclopentylsulfonyl)phenyl]butoxy}hexyl)amino]-1-
- hydroxyethyl}-2-(hydroxymethyl)phenol 4-bromobenzene sulfonate;
- 4-{(1R)-2-[(6-{4-[3-(cyclopentylsulfonyl)phenyl]butoxy}hexyl)amino]-1-
- hydroxyethyl}-2-(hydroxymethyl)phenol 4-chlorobenzene sulfonate
- $4-\{(1R)-2-[(6-\{4-[3-(cyclopentylsulfonyl)phenyl]butoxy\}hexyl)amino]-1-(1R)-2-[(6-\{4-[3-(cyclopentylsulfonyl)phenyl]butoxy]hexyl)amino]-1-(1R)-2-[(6-\{4-[3-(cyclopentylsulfonyl)phenyl]butoxy]hexyl)amino]-1-(1R)-2-[(6-\{4-[3-(cyclopentylsulfonyl)phenyl]butoxy]hexyl)amino]-1-(1R)-2-[(6-\{4-[3-(cyclopentylsulfonyl)phenyl]butoxy]hexyl)amino]-1-(1R)-2-[(6-\{4-[3-(cyclopentylsulfonyl)phenyl]butoxy]hexyl)amino]-1-(1R)-2-[(6-\{4-[3-(cyclopentylsulfonyl)phenyl]butoxy]hexyl)amino]-1-(1R)-2-[(6-\{4-[3-(cyclopentylsulfonyl)phenyl]butoxy]hexyl)amino]-1-(1R)-2-[(6-\{4-[3-(cyclopentylsulfonyl)phenyl]butoxy]hexyl)amino]-1-(1R)-2-[(6-\{4-[3-(cyclopentylsulfonyl)phenyl]butoxy]hexyl)amino]-1-(1R)-2-[(6-\{4-[3-(cyclopentylsulfonyl)phenyl]butoxy]hexyl)amino]-1-(1R)-2-[(6-\{4-[3-(cyclopentylsulfonyl)phenyl]butoxy]hexyl)amino]-1-(1R)-2-[(6-\{4-[3-(cyclopentylsulfonyl)phenyl]butoxy]hexyl)amino[3-(cyclopentylsulfonyl)phenyl]butoxyl)amino[3-(cyclopentylsulfonyl)phenyl$
- hydroxyethyl}-2-(hydroxymethyl)phenol 3-toluene sulfonate;
- 4-{(1R)-2-[(6-{4-[3-(cyclopentylsulfonyl)phenyl]butoxy}hexyl)amino]-1-
- hydroxyethyl}-2-(hydroxymethyl) phenol 4-biphenyl sulfonate; and
- 4-{(1R)-2-[(6-{4-[3-(cyclopentylsulfonyl)phenyl]butoxy}

hexyl)amino]-1-hydroxyethyl}-2-(hydroxymethyl)phenol,naphthalene-2-sulfonate.

- 14. (Original) A compound according to claim 13 wherein the salt is in crystalline form
- 15. (Previously Presented) A method for the prophylaxis or treatment of a clinical condition in a mammal, for which a selective β₂-adrenoreceptor agonist is indicated, which comprises administering a therapeutically effective amount of a compound according to claim 1 or a pharmaceutically acceptable salt, solvate, or physiologically functional derivative thereof.
- 16. (Canceled)
- 17. (Previously Presented) A pharmaceutical formulation comprising a compound according to claim 1 or a pharmaceutically acceptable salt, solvate, or physiologically functional derivative thereof, and a pharmaceutically acceptable carrier or excipient, and optionally one or more other therapeutic ingredients.
- 18. (Previously Presented) A combination comprising a compound according to claim 1 or a pharmaceutically acceptable salt, solvate, or physiologically functional derivative thereof, and one or more other therapeutic ingredients.
- 19-21. (Canceled)
- 22. (Previously Presented) A compound according to claim 1, wherein R¹³ is a phenyl group.
- 23. (Previously Presented) A compound according to claim 1, wherein R¹³ is a naphthyl group.

File No. PG4979USw

24. (Previously Presented) A method according to Claim 15, wherein the mammal is a human.

25-34 (Canceled)